

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2974	((358/1.15) or (358/1.16) or (358/444)).CCLS.	USPAT; USOCR	OR	OFF	2005/12/06 10:26
S2	31	S1 and ("print engine" same ASIC)	USPAT	OR	OFF	2005/07/27 09:54
S3	1417	"beam direct"	USPAT	OR	OFF	2005/07/27 09:55
S4	10	("beam detect" or BD) same "print engine"	USPAT	OR	OFF	2005/12/06 11:46
S5	0	("print engine" same ASIC same bandwidth)	USPAT	OR	OFF	2005/07/27 10:01
S6	15	("print engine" same ASIC) and bandwidth	USPAT	OR	OFF	2005/07/27 10:02
S7	0	(print near engine) same ASIC same beam near detect	USPAT	OR	OFF	2005/07/27 10:03
S8	0	(print near engine) same ASIC same BD	USPAT	OR	OFF	2005/07/27 10:03
S9	763	printer same ASIC	USPAT	OR	OFF	2005/07/27 10:03
S10	4	S9 same bandwidth	USPAT	OR	OFF	2005/07/27 10:04
S11	282	printer same BD	USPAT	OR	OFF	2005/07/27 10:04
S12	4	S11 same ASIC	USPAT	OR	OFF	2005/07/27 10:05
S13	193	printer near6 ASIC	USPAT	OR	OFF	2005/07/27 10:06
S14	438	ASIC same bandwidth	USPAT	OR	OFF	2005/07/27 10:06
S15	55	S14 and printer	USPAT	OR	OFF	2005/07/27 10:31
S16	5	((("5,676,475") or ("5,704,022") or ("5,796,930") or ("5,828,814") or ("6,145,946"))).PN.	USPAT; USOCR	OR	OFF	2005/07/27 10:44
S17	2	"pseudo" near BD	USPAT	OR	OFF	2005/07/27 10:46
S18	20	ASIC same BD	USPAT	OR	OFF	2005/07/27 10:53
S19	2	shorten near10 ("beam direct" or BD)	USPAT	OR	OFF	2005/07/27 10:54
S20	32	reduce near10 ("beam direct" or BD)	USPAT	OR	OFF	2005/07/27 10:57
S21	251	ASIC same buffering	USPAT	OR	OFF	2005/07/27 10:57
S22	24	S21 same FIFO	USPAT	OR	OFF	2005/07/27 11:00
S23	589	ASIC same FIFO	USPAT	OR	OFF	2005/07/27 11:00
S24	252	S23 same buffer\$3	USPAT	OR	OFF	2005/07/27 11:00
S25	40	S24 same print\$2	USPAT	OR	OFF	2005/07/27 11:06
S26	7	bandwidth near3 booster	USPAT	OR	OFF	2005/07/27 11:07
S27	0	"aging printer ASIC"	USPAT	OR	OFF	2005/07/27 11:08
S28	0	"printer ASIC" same old	USPAT	OR	OFF	2005/07/27 11:08
S29	18	"printer ASIC"	USPAT	OR	OFF	2005/07/27 11:10
S30	3	S29 and FIFO	USPAT	OR	OFF	2005/07/27 11:10

S31	96492	false BD	USPAT	OR	OFF	2005/07/27 14:50
S32	5	false near BD	USPAT	OR	OFF	2005/07/27 15:40
S33	1350	beam near detect	USPAT	OR	OFF	2005/07/27 15:40
S34	17	S33 and ASIC	USPAT	OR	OFF	2005/07/27 15:44
S35	3049	printer and ASIC	USPAT	OR	OFF	2005/07/27 15:44
S36	1388	S35 and buffer	USPAT	OR	OFF	2005/07/27 15:44
S37	384	S36 and fifo	USPAT	OR	OFF	2005/07/27 15:44
S38	99	S37 and beam	USPAT	OR	OFF	2005/07/27 15:45
S39	160	print\$2 same ASIC same buffer	USPAT	OR	OFF	2005/07/27 15:45
S40	3	"bandwidth booster"	USPAT	OR	OFF	2005/07/28 08:01
S41	106	ASIC same fifo same clock	USPAT	OR	OFF	2005/07/28 09:30
S42	4	ASIC same fifo same clock same bandwidth	USPAT	OR	OFF	2005/07/28 09:31
S43	0	ASIC same fifo same clock same "increase bandwidth"	USPAT	OR	OFF	2005/07/28 09:32
S44	2	ASIC same fifo same clock same bandwidth same buffer	USPAT	OR	OFF	2005/07/28 09:32
S45	6	FIFO same buffer same increase same bandwidth same clock	USPAT	OR	OFF	2005/07/28 09:34
S46	4	FIFO same buffer same "increase bandwidth" same clock	USPAT	OR	OFF	2005/07/28 09:53
S47	1	("6824239").PN.	USPAT; USOCR	OR	OFF	2005/07/28 09:53
S48	0	asicn same (increase near3 bandwidth)	USPAT	OR	OFF	2005/12/06 10:26
S49	16	asic same (increase near3 bandwidth)	USPAT	OR	OFF	2005/12/06 10:37
S50	5	S49 and print\$3	USPAT	OR	OFF	2005/12/06 10:38
S51	6	print\$3 same asic same bd	USPAT	OR	OFF	2005/12/06 10:38
S52	6	print\$3 same asic same (bd or "beam detect")	USPAT	OR	OFF	2005/12/06 10:40
S53	5	((("5,676,475") or ("5,704,022") or ("5,796,930") or ("5,828,814") or ("6,145,946"))).PN.	USPAT; USOCR	OR	OFF	2005/12/06 11:09
S54	18205	(bd or "beam detect" or beam\$1detect)	USPAT	OR	OFF	2005/12/06 11:09
S55	566	S54 same print\$3	USPAT	OR	OFF	2005/12/06 11:10
S56	6	S55 same asic	USPAT	OR	OFF	2005/12/06 11:10
S57	13	S55 and bandwidth	USPAT	OR	OFF	2005/12/06 11:10
S58	7	(shorten or reduce or decrease or compress) near (BD or "beam detect" or beam\$1detect)	USPAT	OR	OFF	2005/12/06 11:47

S59	1	(shorten or reduce or decrease or compress) near (BD or "beam detect" or beam\$1detect) and print\$3	USPAT	OR	OFF	2005/12/06 11:48
S60	18205	(BD or "beam detect" or beam\$1detect)	USPAT	OR	OFF	2005/12/06 11:48
S61	165	S60 same (shorten or reduce or decrease or compress)	USPAT	OR	OFF	2005/12/06 11:49
S62	7	S61 same print\$3	USPAT	OR	OFF	2005/12/06 11:51
S63	69	(BD or "beam detect" or beam\$1detect) near3 delay	USPAT	OR	OFF	2005/12/06 11:51
S64	10	S63 same print\$3	USPAT	OR	OFF	2005/12/06 11:51
S65	30	S63 and print\$3	USPAT	OR	OFF	2005/12/06 13:47